

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier** TECHNIPLAST 400 UVLS (SKŁADNIK B)

Substance / mixture mixture

UFI 4R10-20F5-4007-2SMJ

**1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**

Chemical product for construction and industry, material for coatings.

**Main intended use**

PC-CON-OTH Other construction products

**Mixture uses advised against**

The product should not be used in ways other than those referred in Section 1.

**1.3. Details of the supplier of the safety data sheet**

**Manufacturer**

Name or trade name TECHNIART Sp. z o.o.

Address ul. Rumiankowa 2, Nowa Bukówka, Żabia Wola, 96-321

Poland

Identification number (CRN) 012523757

VAT Reg No PL5210520323

Phone +48468578394

E-mail biuro@techniart.pl

Web address www.techniart.pl

**Competent person responsible for the safety data sheet**

Name TECHNIART Sp. z o.o.

E-mail biuro@techniart.pl

**1.4. Emergency telephone number**

European emergency number: 112

# SAFETY DATA SHEET

TECHNI *Art*  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

The mixture is classified as dangerous.

Acute Tox. 4, H302

Skin Corr. 1B, H314

Skin Sens. 1A, H317

Eye Dam. 1, H318

Repr. 2, H361fd

Aquatic Chronic 2, H411

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Causes serious eye damage. Causes severe skin burns and eye damage. Suspected of damaging fertility. Suspected of damaging the unborn child. Harmful if swallowed. Toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

##### Hazard pictogram



##### Signal word

Danger

##### Hazardous substances

benzyl alcohol

3-aminomethyl-3,5,5-trimethylcyclohexylamine

bis-[4-(2,3-epoxipropoxy)phenyl]propane

4-nonylphenol, branched

##### Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

# SAFETY DATA SHEET

**TECHNI**  
POLYMER PLASTIC & QUARTZ *Art*

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

- H317 May cause an allergic skin reaction.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a doctor.

### 2.3. Other hazards

Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 603-057-00-5 CAS: 100-51-6 EC: 202-859-9	benzyl alcohol	25-50	Acute Tox. 4, H302+H332	

# SAFETY DATA SHEET

**TECHNI**  
POLYMER PLASTIC & QUARTZ *Art*

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
Index: 612-067-00-9 CAS: 2855-13-2 EC: 220-666-8	3-aminomethyl-3,5,5-trimethylcyclohexylamine	25-50	Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Specific concentration limit: ATE Oral = 1030 mg/kg bw Skin Sens. 1A, H317: C ≥ 0.001 %	
Index: 603-073-00-2 CAS: 1675-54-3 EC: 216-823-5	bis-[4-(2,3-epoxipropoxy)phenyl] propane	5-15	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411 Specific concentration limit: Skin Irrit. 2, H315: C ≥ 5 % Eye Irrit. 2, H319: C ≥ 5 %	
Index: 601-053-00-8 CAS: 84852-15-3 EC: 284-325-5	4-nonylphenol, branched	≤3	Acute Tox. 4, H302 Skin Corr. 1B, H314 Repr. 2, H361fd Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	1

### Notes

1 Substance of very high concern - SVHC.

Full text of all classifications and hazard statements is given in the section 16.

# SAFETY DATA SHEET

**TECHNI** Art  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

##### **If inhaled**

Take care of your own safety, do not let the affected person walk! Terminate the exposure immediately; move the affected person to fresh air. Beware of the contaminated clothes. Depending on the situation, call the medical rescue service and ensure medical treatment considering the frequent need of further observation for at least 24 hours.

##### **If on skin**

Remove contaminated clothes. Take off any rings, watches, bracelets before or during washing if worn in the contaminated areas of the skin. Depending on the situation, call the medical rescue service and always ensure medical treatment. Rinse contaminated areas with a flow of water, lukewarm at best, for 10-30 minutes; do not use any brush, soap or neutralizers. Rinse skin with water or shower. Rinse cautiously with water for several minutes.

##### **If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

# SAFETY DATA SHEET

**TECHNI** Art  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### **If swallowed**

RINSE THE MOUTH WITH WATER IMMEDIATELY AND LET THE PERSON DRINK 2-5 dl of cold water to reduce the heating effect of the corrosive substance. Consuming larger amounts of liquid is not advisable as it may induce vomiting and potential inhaling of the corrosive substances in the lungs. The affected person must not be forced to drink, particularly if already feeling pain in the mouth or throat. In this case let the affected person only rinse the mouth with water. **DO NOT PROVIDE ACTIVATED CARBON!** Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible.

### **4.2. Most important symptoms and effects, both acute and delayed**

#### **If inhaled**

Inhaling vapours can cause corrosion of the breathing system.

#### **If on skin**

Causes severe skin burns. May cause an allergic skin reaction.

#### **If in eyes**

Causes serious eye damage.

#### **If swallowed**

Corrosion of the digestion system can occur.

### **4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

---

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

#### **Unsuitable extinguishing media**

Water - full jet.

### **5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Do not allow to enter drains. Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

### 6.4. Reference to other sections

See the Section 7, 8 and 13.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale mist/vapours/spray. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose. Store locked up.

Content	Packaging type	Material of package
0,5 kg	bottle	HDPE
1 kg	bottle	HDPE
2,5 kg	jerry can	FE
5 kg	bucket	FE
10 kg	bucket	FE
200 kg	barrel / drum	FE

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

# SAFETY DATA SHEET

**TECHNI** Art  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### Respiratory protection

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2. Collect spillage.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	data not available
Boiling point or initial boiling point and boiling range	data not available
Flammability	data not available
Lower and upper explosion limit	data not available
Flash point	data not available

# SAFETY DATA SHEET

**TECHNI** Art  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

Auto-ignition temperature	data not available
Decomposition temperature	data not available
pH	non-soluble (in water)
Kinematic viscosity	data not available
Solubility in water	data not available
Partition coefficient n-octanol/water (log value)	data not available
Vapour pressure	data not available
Density and/or relative density	
Density	1,05 g/cm <sup>3</sup> at 25 °C
Relative vapour density	data not available
Particle characteristics	data not available

### 9.2. Other information

not available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

not available

### 10.2. Chemical stability

The product is stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Unknown.

### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

# SAFETY DATA SHEET

TECHNI *Art*  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

##### Acute toxicity

Harmful if swallowed.

3-aminomethyl-3,5,5-trimethylcyclohexylamine

Route of exposure	Parameter	Value	Exposure time	Species	Sex
Oral	ATE	1030 mg/kg bw			

##### Skin corrosion/irritation

Causes severe skin burns and eye damage.

##### Serious eye damage/irritation

Causes serious eye damage. Causes severe skin burns and eye damage.

##### Respiratory or skin sensitisation

May cause an allergic skin reaction.

##### Germ cell mutagenicity

Based on available data the classification criteria are not met.

##### Carcinogenicity

Based on available data the classification criteria are not met.

##### Reproductive toxicity

Suspected of damaging fertility. Suspected of damaging the unborn child.

##### Toxicity for specific target organ - single exposure

Based on available data the classification criteria are not met.

##### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

##### Aspiration hazard

Based on available data the classification criteria are not met.

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### 11.2. Information on other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### Acute toxicity

Toxic to aquatic life with long lasting effects.

### 12.2. Persistence and degradability

not available

### 12.3. Bioaccumulative potential

Not available.

### 12.4. Mobility in soil

Not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

The mixture contains substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Not available.

## SECTION 13: Disposal considerations

# SAFETY DATA SHEET

**TECHNI** Art  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

## SECTION 14: Transport information

### 14.1. UN number or ID number

UN 1760

### 14.2. UN proper shipping name

CORROSIVE LIQUID, N.O.S.

### 14.3. Transport hazard class(es)

8 Corrosive substances

### 14.4. Packing group

II - substances presenting medium danger

### 14.5. Environmental hazards

not relevant

### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

# SAFETY DATA SHEET

TECHNI *Art*  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### Additional information

Hazard identification No.

80

UN number

1760

Classification code

C9

Safety signs

8+hazardous for the environment



### Air transport - ICAO/IATA

Packaging instructions passenger 851

Cargo packaging instructions 855

### Marine transport - IMDG

EmS (emergency plan) F-A, S-B

MFAG 760

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

### 15.2. Chemical safety assessment

not available

# SAFETY DATA SHEET

TECHNI *Art*  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H302+H332	Harmful if swallowed or if inhaled.

#### Guidelines for safe handling used in the safety data sheet

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.

#### Other important information about human health protection

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service

# SAFETY DATA SHEET



according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
log Kow	Octanol-water partition coefficient
OEL	Occupational Exposure Limits
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very Persistent and very Bioaccumulative
Acute Tox.	Acute toxicity
Aquatic Acute	Hazardous to the aquatic environment

# SAFETY DATA SHEET

**TECHNI** Art  
POLYMER PLASTIC & QUARTZ

according to Commission Regulation (EU) 2020/878  
as amended

## TECHNIPLAST 400 UVLS (SKŁADNIK B)

Creation date 12th May 2023

Revision date Version 1.0

Aquatic Chronic	Hazardous to the aquatic environment (chronic)
Eye Dam.	Serious eye damage
Repr.	Reproductive toxicity
Skin Corr.	Skin corrosion
Skin Sens.	Skin sensitization

### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### Recommended restrictions of use

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

---

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.

---